

What is claimed is:

~~Patent Claims~~

1(original). Shower arrangement with a wall bar, which can be fixed to a water carrying wall connection and is connectable to the water supply and also with at least one shower, which is supplied with water through the wall bar.

2(original). Shower arrangement in accordance with Claim 1, wherein at least one shower exhibits a valve device for shut-off.

3(currently amended). Shower arrangement in accordance with Claim 1 ~~or 2~~, wherein at least one shower is formed as a side shower.

4(original). Shower arrangement in accordance with claim 1, wherein at least one shower is fixed to the wall bar and supplied with water through a radial opening in the wall bar.

5(original). Shower arrangement in accordance with claim 1, wherein at least one shower is a hand shower attached via a shower hose

6(original). Shower in accordance with claim 1, wherein at least one shower is adjustable.

7(original). Shower arrangement in accordance with claim 1, wherein at least one shower is arranged in a housing held on the wall bar.

8(original). Shower arrangement in accordance with Claim 7, wherein the housing is arranged so that it can be rotated and/or axially moved in relation to the wall bar.

9(original). Shower arrangement in accordance with Claim 8, wherein the axial movement of the housing in relation to the wall bar is restricted.

10(currently amended). Shower arrangement in accordance with **Claim 7** ~~one of the Claims 7 to 9~~, wherein a movement of the housing in relation to the wall bar causes a change in the shower characteristic.

11(original). Shower arrangement in accordance with claim 7, wherein a movement of the housing in relation to the wall bar effects and/or represents actuation of the valve device.

12(original). Shower arrangement in accordance with claim 7. wherein the housing exhibits several showers.

13(original). Shower arrangement in accordance with Claim 12, wherein the showers operate simultaneously.

14(original). Shower arrangement in accordance with Claim 12, wherein the showers are operated alternately by the valve device.

15(original). Shower arrangement in accordance with Claims 7, wherein several housings are present.

16(original). Shower arrangement in accordance with Claim 15, wherein the housings can be adjusted individually.

17(original). Shower arrangement in accordance with Claim 15, wherein the housings can be adjusted together.

18(original). Shower arrangement in accordance with claim 1 with a toggle switch between a shower arranged on the wall bar and a hand shower.

19(original). Shower arrangement in accordance with claim 7, wherein the characteristic of the at least one shower, specifically switch-on/switch-off, changes without adjustment to the housing.

20(original). Shower arrangement in accordance with one claim 7, wherein the jet direction of the at least one shower can be changed without adjustment to the housing.

21(new claim). Shower arrangement in accordance with Claim 2, wherein at least one shower is formed as a side shower.